

From: [Wright, Jeff](#)
To: [Gary Moore/R6/USEPA/US@EPA](#)
Cc: [Bordelon, David](#)
Subject: RE: Delta Shipyards: Treatability Study
Date: 10/10/2012 01:40 PM
Attachments: [ERRS_Delta Shipyards Disposal Options Cost Summary.xlsx](#)
[Weston_Delta Shipyards Disposal Options Cost Summary.xlsx](#)

I've attached a copy of the previous estimates. These were based on 31,000 cubic yards of waste material. Do you have a specific contact in ERT that you have been in contact with? If so, I thought we would continue speaking with that person since he or she would be familiar with the site.

Spoke with Patrick Bond this morning. He should have the first set of contour maps completed soon.



Jeff Wright, CHMM
Weston Solutions, Inc.
an employee-owned company
13702 Coursey Blvd.,
Bldg #7, STE A
Baton Rouge, LA 70817
(225) 297-5415 Direct
(225) 278-8406 Cell
Jeff.Wright@westonsolutions.com

From: Gary Moore [mailto:Moore.Gary@epamail.epa.gov]
Sent: Wednesday, October 10, 2012 12:15 PM
To: Wright, Jeff
Subject: Delta Shipyards: Treatability Study

Jeff:

I need to get a proposal from you guys about going forward with the treatability study on this project. I would like you guys to talk with ERT before moving forward to get recommendations based upon the type of materials that we are dealing with in the pits. We need to find out if we need actual TCLP results for the pit wastes as well. Once we complete the treatability study, we will need a better cost estimate. Can you remind me what our previous estimates and volumes were for this site?

Thanks

Gary Moore
Federal On-Scene Coordinator
EPA Region 6
Cell: 214-789-1627
Work: 214-665-6609
email: moore.gary@epa.gov

CONFIDENTIALITY: This email and attachments may contain information which is confidential and proprietary. Disclosure or use of any such confidential or proprietary information without the written permission of Weston Solutions, Inc. is strictly



9522458

prohibited. If you received this email in error, please notify the sender by return e-mail and delete this email from your system. Thank you.